

AMPHIBIOUS • ALL SEASON • ALL TERRAIN • SIX PASSENGERS



Amphibious UTV

Extreme Off-Road Performance



2011


DEDICATED TO FREEDOM AND INDEPENDENCE

Begin your next adventure with the **amphibious, all season, all-wheel drive**, off-road ARGO. Go where your dreams lead you – through challenging terrain, over hills, even on water or snow. Unsurpassed in versatility and reliability, the ARGO carries you, your friends and supplies to those far away places. With ARGO, go ahead and dare to dream.

EASY STEERING

ARGO with ADMIRAL Transmission

Traditional skid steering



- Less engine power required to steer in high gear.
- Reduces the need to operate in low gear



The ARGO steers smoothly through challenging terrain and can turn in its own length with minimal effort allowing for extreme tight turns.

NEW FOR 2011 • THE BEST ARGO 8x8 EVER BUILT



STYLISH AND FUNCTIONAL
DASH DESIGN



ADMIRAL TRANSMISSION
FOR SMOOTH STEERING



VENTED HOOD FOR IMPROVED
ENGINE COMPARTMENT COOLING



40% EXHAUST NOISE REDUCTION
FOR A QUIETER RIDE

Argo 8x8 *750HDi*

Vehicle shown with accessories. See specification page and ARGOtv.com for more details.

ARGO FLOATS!



Fishing and waterfowl hunting enthusiasts agree that the ARGO is the better way to go. Unlike traditional off-road vehicles, the all terrain, amphibious ARGO floats without vehicle preparation and the special webbed tires actually work as linear propellers in water.



Safety!

...always in Season!

When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

FOR THE ULTIMATE HUNTING EXPEDITION



Designed for those who truly appreciate the great outdoors, the amphibious ARGO is the essential off-road vehicle for hunting and exploration. ARGO allows you to travel with ease through the toughest conditions imaginable including rugged terrain, hills, water, deep snow, and ice. Challenging terrain will suddenly become a pleasure to negotiate and the ARGO's low ground pressure tires minimize the impact on the environment. So go on, spoil yourself. Take your friends and all the equipment you need to track the best game. You'll still have plenty of space to take home whatever you bag. As an amphibious all season vehicle, the ARGO combines many of the advantages you get from a snowmobile, 4x4 ATV, 6x6 UTV and a small boat.



Jim Shockey, proud ARGO owner
www.jimshockey.com

ARGO AT WORK

The multi-passenger ARGO is the perfect vehicle for wilderness exploration, scenic tours, photo safaris and everything in-between. Outfitters, lodges and eco-tour operators can now offer their customers a unique and reliable outdoor experience.

Take advantage of your ARGO to get the work done around your home, farm or woodlot. The rugged ARGO can tow and carry a load, and allows you to work in areas that would otherwise be inaccessible.



Environmental Impact: From the unique tread pattern of the tires to the low ground pressure, every ARGO model is designed to minimize its environmental footprint.

treadlightly!
LEAVING A GOOD IMPRESSION



Forestry and Agriculture

- Producing Maple Syrup • Spraying
- Hauling Trailers • Seeding and Feeding
- Plowing Snow • Pulling Logs
- Transporting People and Supplies

Resorts, Outfitters and Ecotourism

- Fishing and Hunting Lodges
- Support Vehicle • Ice Fishing Operators
- Trail Grooming • Maintenance



WHEN EVERY SECOND COUNTS, COUNT ON ARGO



ARGO Stretcher Accessory fits all current ARGOn 8x8 models and is designed for Ferno Stretcher #9.



Public Sector

Some emergency tasks require the extra advantage that only the ARGOn can provide. The all terrain ARGOn 8x8 transports personnel and equipment to the accident site and evacuates the injured. Add the ARGOn to your rescue fleet for the added assurance you need when the odds are stacked against you. Don't wait until your next emergency.

- Disaster Response
- Search & Rescue
- Emergency Medical Services
- Hazardous Materials
- Vector & Pest Control
- Firefighting & Prevention

Utilities and Resource Management

Crews and equipment have to travel miles through challenging terrain to inspect hydro lines or prospect new drilling sites. Helicopters or tracked vehicles may be able to get the job done, but at what cost? Today's cost-conscious industry players have another choice: The ARGOn.

- Line Construction and Maintenance
- Resource Exploration • Geological Surveys
- Communications Equipment Management

Safety

...always in Season

For safety, we recommend wearing helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGOn.

THE MOST VERSATILE OFF-ROAD VEHICLE IN THE WORLD

ARGO 8X8 750 HDi

This 8-wheel drive amphibious off-road vehicle features an OHV V-Twin liquid cooled 748cc, 31 hp Kohler Aegis LH 775 electronic fuel-injected engine. The ARGO 8x8 750 HDi features effective throttle response, excellent fuel economy, reliable cold weather starting and outstanding high-altitude performance.

PREMIUM FEATURES

- Innovative triple differential ADMIRAL steering transmission provides even torque to all 8 of the big 25" ARGO tires
- Increased efficiency results in more power to the wheels for optimum performance
- 40% quieter muffler
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards
- Under seat storage and easy access to battery compartment
- Optional suspension seats (standard on 750 HDi Special Edition)

ARGO 8X8 750 HDi Special Edition

All the features of the standard 750 HDi plus:

- 3-way adjustable suspension seating with rear grab handles
- High / low beam headlights
- Signal / side marker lamps
- Front-mounted horn
- Side view mirror
- 7 pin trailer connection
- Heavy-duty alternator
- Entry step

Argo 8x8 750 HDi



Optional suspension seats available
Shown below

25" ARGO tires for optimum traction, smooth ride and better water performance

Optional entry step available





Convenience Group

Handlebar steering

Hydraulic brakes

Spacious design



Argo 8x8 750 HDi

SPECIAL EDITION

NEW FOR 2011



Argo 8x8 700 HD

NEW FOR 2011

ARGO 8x8 700 HD

This 8-wheel drive amphibious off-road vehicle features an OHV V-Twin liquid cooled 674cc, 26 hp Kohler Aegis LH 690 engine with electronic ignition and solenoid shift starter.

Same premium features as 750 HDi.

FOR 750 HDi AND 700 HD MODELS

STANDARD FEATURES

- Contoured dash design
- Premium foam-padded, hinged, front bench seat (except 750 HDi Special Edition) with easy access to deep storage compartment / toolbox and battery
- One-piece ergonomic handlebar steering control
- Excellent approach and departure angles to easily overcome obstacles
- Innovative design and space for up to 6 passengers
- Meets all 2011 EPA and CARB "whole vehicle" standards and regulations.
- Three-year limited engine warranty
- Easy access to the engine compartment
- Load capacity of up to 1150 lbs on land or 1000 lbs on water

STANDARD EQUIPMENT

- LCD Digital Gauge Cluster* (speedometer, tachometer, odometer, voltmeter, engine coolant temperature, plus low oil pressure and parking brake reminder lights) * ARGO 750 HDi features an additional check engine light
- 25" ARGO tires for optimum traction, smooth ride and better water performance
- Front and rear axle bearing extensions for increased axle & bearing life
- Full skid plate for lower body protection
- Convenience group (12 volt outlet, cup holders, grab handle)
- Independent emergency, parking brake



Safety!
...always in Season!

For safety, we recommend wearing helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

ARGO 8X8 FRONTIER 650

An 8-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23 hp Cooler Cleaner Briggs & Stratton engine. It features front axle bearing extensions for increased axle and bearing life and has a load capacity of up to 1000 lbs on land or 900 lbs on water.

- 40% quieter muffler
- Heavy duty axles
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain.



ARGO 6X6 650 HD

A 6-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23hp, Briggs & Stratton Cooler Cleaner engine with 20/50 Amp charging system and electronic ignition. It has a load capacity of up to 700 lbs on land or 500 lbs on water.

- Innovative triple differential ADMIRAL steering transmission
- Increased efficiency to provide more power to the wheels for optimum performance
- 40% quieter muffler
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards



**Argo 8x8
Frontier 650**



Spacious design



**Argo 6x6
650 HD**

NEW FOR 2011



Argo 6x6 Frontier 580



ARGO 6X6 FRONTIER 580
shown with optional
ultra chrome paint



treadlightly![®]
LEAVING A GOOD IMPRESSION

Every ARGO model is designed
to minimize its environmental
footprint.

Convenience Group
Handlebar steering



ARGO 6X6 FRONTIER 580

A 6-wheel drive amphibious off-road vehicle featuring a 4-cycle OHV V-Twin air cooled 570cc, 18 hp Briggs & Stratton engine and a load capacity of up to 700 lbs on land or 500 lbs on water. It can transport up to 4 passengers plus gear. Rear weight restriction.*

- 40% quieter muffler
- Heavy duty axles



FOR ALL FRONTIER AND 6X6 HD MODELS

STANDARD FEATURES

- Contoured dash design
- Power to all wheels for optimum performance in challenging terrain
- Premium foam-padded, hinged, front bench seat with easy access to deep storage compartment / toolbox and battery
- One-piece ergonomic handlebar steering control
- All-wheel traction with low center of gravity for extra stability
- State-of-the-art automatic continuously variable transmission with high and low range forward and reverse (650 HD only)
- Two-year limited engine warranty
- Low emissions

STANDARD EQUIPMENT


- LCD Digital Gauge Cluster (speedometer, odometer, hourmeter, tachometer, voltmeter, plus low oil pressure and parking brake reminder lights)
- 24" ARGO tires with special tread design
- Independent emergency, parking brake
- Back-up recoil starter
- Electronic ignition



*Maximum load 6x6 rear compartment 65 kg or 140 lbs.

Appearance and specifications subject to change without notice.
Vehicles shown with accessories. See specification page and ARGOOutv.com for more details.

PERSONALIZE YOUR ARGO



Vehicle shown with accessories, see specification page for base vehicle. (ARGO 8x8 750 HDi model shown)


COMFORT

- 1 Convertible Top**
Protects occupants from the weather. Has removable side and rear doors and stores folded down with boot cover. Requires fold-down windshield. (Optional roll bar light cannot be used with full convertible top.)
- 2 Half-Top**
Protects operator and side passenger from the elements. Features removable side and rear doors, allows easy access to the rear cargo compartment area. Requires fold-down windshield.
- 3 Handrails**
Tubular steel rails mount around the body, providing hand-hold points for rear passengers.
- 4 Rear Bench Seat with Back Rest**
For 8x8 models only. Features versatile forward or rear facing position for easy entry/exit when the vehicle is equipped with a convertible top. The seat is more comfortable due to greater foam thickness and density.
- 5 Suspension Seats**
3-way adjustable suspension seats for increased ride comfort.

TRACKS

- 6 Rubber Tracks**
Lightweight and durable construction, combined with low rolling resistance to ensure smooth, quiet operation in most difficult terrain conditions. The 18" track width provides optimum floatation and minimal ground pressure while the tread design offers exceptional traction on various hard and soft surfaces.
 - 7 Super Tracks**
18" (45.5cm) wide segments go over 24" ARGO tires, to provide optimum floatation over deep snow.
 - 8 Standard Tracks**
13" (32.5cm) wide segments go over 24" ARGO tires, reducing ground pressure for travel over snow or flooded areas.
- Super Track Ice Cleats**
(not shown) Steel cleats increase traction on ice and hardpacked snow.





PROTECTION

9 Brake/Tail Lights

Brake / Tail lights, complete wire harness and all necessary mounting hardware.

10 Brushguard

Protects the winch and headlights from damage from brush encountered along the trail. Installation of mounting assembly or power winch is required. The 8x8 700HD/750HDi Brushguard features an integrated tow hook and mounting tabs for fog light kit.

11 Fog Lights

Provides added illumination in conditions of poor visibility due to rain, fog, dust or snow.

12 Mudflap Kit

Deflects snow and mud out of the rear cargo compartment. Allows you to stay dry and clean when navigating through challenging terrain. Can easily be mounted to the lower body.

13 Rollover Protection Structure (ROPS)

Powder-coated tubular steel frame provides rollover protection and seat belts for driver and front seat passenger.

ROPS & Rear Bench Seat

Protects the driver, front seat passenger, and two rear passengers by using the rollover protection structure. Includes rear bench and four seat belts.

14 Roll Bar

Add a distinctive look to your ARGO. Protects driver and passenger. (Reduces seating capacity to 2). Comes with two seat belts and fits all 6x6 models.

15 Roll Bar Lights


Two rubber mounted, shock resistant 3" x5" weatherproof lamps, easily installed on your existing roll bar.

16 Skid Plate

Formed from black high-density polyethylene to protect the lower body of the ARGO. Adding a skid plate to your ARGO will provide added insurance against lower body damage.

17 Storage Covers

Black, weathertight material secures in place under ARGO bumper. Fits all production models without roll bar or ROPS. The storage cover helps to protect your ARGO from the elements.



18 Fold-Down Windshield

Scratch-resistant acrylic in an aluminum frame, features mounting hole for the optional windshield wiper accessory.

19 Windshield Wiper

Complete with everything needed to assemble and fit to your ARGO Windshield. The Wiper Motor mounts quickly and easily, requiring no drilling on newer style predrilled windshields.

CONVENIENCE

Cargo Tie-Down Rings

(Not shown) Six rings mount around the rear compartment (four rings for 6x6 models).

20 ENTRY STEP

Convenient and easy access to the vehicle. Can be mounted in four different positions.

21 WARN Power Winch

For vehicle recovery or to raise and lower plow blade. 3000 lbs (1364 kg) capacity, reversing with free wheeling out, 40' cable with 30' (9M) nylon strap. Safety switch disables winch unless ignition is on.

22 Rear Receiver Winch Accessory

This bracket mounts into the 8x8 trailer hitch receiver, extending the versatility of your winch. Includes instructions and wire harness for installation.

23 Wireless Winch Remote Control

Wireless and compact, this unit can control remote use of winch from a location of up to 50' for added convenience and versatility.

24 Snowplow


81 in. (2 m) wide steel blade features multi-angle positions. Attaches to front bearing extension housings. A snowplow will maximize the utilization of your ARGO. Note: Requires power winch.

25 Tow Hook

This versatile accessory is easy to install and allows winch cables or towing straps to be attached to your ARGO.

26 4-Wheel Amphibious Trailer

600 lb (270 kg) carrying capacity in a black 6-wheel lower body with ARGO axles and wheels. Ideal for tools, wood, equipment and any extra storage cargo.



27 Utility Bracket

The Utility Bracket consists of two "Rugged Gear" utility hooks and a barrel holder. It is an ideal way to safely secure objects such as shovels, fishing rods, paddles, etc. to the outside or inside of your ARGO.

28 Utility Rack

The Utility Rack is comprised of two formed flatbar brackets, four "Rugged Gear" utility hooks, and all mounting hardware necessary to attach the bracket to the backrest handrail and upper body. This rack accessory allows two rifles or shotguns to be carried on the inside of the vehicle.

29 Utility Storage Pouch

Dome snaps attach to backrest for convenient storage space. Ideal for keeping first aid kits, tools, electronics and other items safe, clean and easily accessible.

Optima Battery

(Not shown) Optional maintenance-free Optima spill-proof battery. Part# for ARGO 613-161 Part# for Centaur 613-160

SEARCH & RESCUE

ARGO Stretcher Kit

Designed to accept Ferno #9 stretcher. Fits all current ARGO 8x8 models. Stretcher kit can be adjusted to allow repositioning of frontbench seating. Backrest is folded down for stretcher use and can be put back in upright position when stretcher is not in use.

APPLICATION IN WATER

Bilge Pump

This accessory is highly recommended for amphibious use of any ARGO. Operated by a dash mounted switch, the pump quickly removes water from the lower body.

Outboard Motor Bracket

This one-piece bracket mounts at the bumper and onto the trailer hitch bracket. Mounting location is slightly off-center and accepts an outboard motor of up to 9.9 hp for increased propulsion in water. Frontier 580 requires hitch.





ARGO ACCESSORIES	6 x 6		8 x 8			
	FRONTIER 580	ARGO 650 HD	FRONTIER 650	ARGO 700 HD	ARGO 750 HDi	ARGO 750 HDi SE
COMFORT						
Convertible Top	649-51	649-51	849-51	849-40	849-40	849-40
Half-Top	N/A	N/A	N/A	849-45	849-45	849-45
Handrails	639-26	639-26	839-35	839-30	839-30	839-30
Heater	N/A	N/A	N/A	848-170	848-170	848-170
Rear Bench Seat	N/A	N/A	849-80	849-80	849-80	849-80
Suspension Seats	N/A	N/A	N/A	Factory Installed Option		incl.
TRACKS						
Rubber Tracks	625-50	625-50	825-50-1	825-50-1	825-50-1	825-50-1
Standard Tracks**	615-43	615-43	815-42K	815-42K	815-42K	815-42K
Super Tracks**	625-43	625-43	825-42K	825-42K	825-42K	825-42K
Super Track Ice Cleats	625-20	625-20	825-21	825-21	825-21	825-21
PROTECTION						
Brake / Tail Lights	624-10	624-26	624-10	624-26	624-26	incl.
Brushguard	642-50	642-50	642-50	642-49	642-49	incl.
Fog Lights	648-92	648-92	648-92	648-92	648-92	648-92
Mudflaps	N/A	N/A	625-10	625-10	625-10	625-10
Roll Bar	648-15	648-15	N/A	N/A	N/A	N/A
Roll Bar Lights	648-90	648-90	N/A	N/A	N/A	N/A
ROPS c/w 2 Seat Belts	648-47	648-47	849-90-2	849-90-2	849-90-2	N/A
ROPS & Rear Bench Seat	N/A	N/A	849-90-4	849-90-4	849-90-4	N/A
Skid Plate	663-12	incl.	863-13	incl.	incl.	incl.
Storage Cover	621-21	621-21	821-40	821-40	821-40	821-40
Windshield	648-79	648-79	648-79	848-171	848-171	848-171
Windshield Wiper	648-91	648-91	648-91	648-91	648-91	648-91
CONVENIENCE						
Alternator	N/A	N/A	N/A	850-54	850-54	850-54
Cargo Tie Down Rings	614-06	614-06	614-06	614-06	614-06	614-06
Entry Step	N/A	N/A	848-173	848-173	848-173	incl.
Mounting Assembly (Brushguard/Winch)	622-107	622-107	622-107	622-108	622-108	incl.
Power Winch	622-110	622-110	622-110	622-105	622-105	622-105
Receiver Winch (Wiring & Rear Hitch)	622-96	622-96	622-96	622-96	622-96	622-96
Remote Control (Winch)	622-106	622-106	622-106	622-106	622-106	622-106
Snow Plow	N/A	657-21	657-21	657-21	657-21	657-21
Tow Hook	642-00	642-00	642-00	642-00	642-00	incl.
Trailer (consult dealer for options)	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11
Trailer Hitch (Coupler ball not included)	626-10	incl.	incl.	incl.	incl.	incl.
Utility Bracket	821-25	821-25	821-25	821-25	821-25	821-25
Utility Rack	821-35	821-35	821-35	821-35	821-35	821-35
Utility Storage Pouch	621-35	621-35	621-35	621-35	621-35	621-35
SEARCH & RESCUE						
Stretcher Frame	N/A	N/A	850-108	850-100	850-100	N/A
Basket Mount Adapter (for Ferno RE1125)	N/A	N/A	850-101	850-101	850-101	N/A
Stretcher - Ferno #9	N/A	N/A	015-3204ARG	015-3204ARG	015-3204ARG	N/A
APPLICATION IN WATER						
Bilge Pump	638-40	638-40	638-40	638-40	638-40	638-40
Outboard Motor Bracket	617-09	617-09	617-10	617-10	617-10	617-10

**Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires



ARGO DVDs

ARGO Promotional DVD

Includes the following ARGO videos: Introduction, Models - 8x8 750 HDi, NEW 8x8 700 HD, 6x6 650 HD and Frontier series, Comparison - Dare to Compare, Applications, Capabilities as well as ARGO Rubicon Trail Challenge, ARGO Adventures, and Chile Volcano Expedition. Also contains all brochures in PDF format. **678-89**

ARGO Hunting DVD

Experience the ultimate hunting vehicle: Models - 8x8 750 HDi, NEW 8x8 700 HD, 6x6 650 HD and Frontier series, ARGO Hunting with Jim Shockey, Alan Warren, The Outdoor Quest, Southern Outdoor Experience, Dr. Buck Outdoors, and BJ Outdoors. Also contains all brochures in PDF Format. **678-91**

ARGO and Centaur Off-Road Utility Vehicles

ARGO and Centaur at Work including detailed model information on ARGO 8x8 750 HDi, NEW 8x8 700 HD, 6x6 650 HD and Frontier series, Centaur 8x8 applications and model information, Comparison - Dare to Compare, Applications, and Capabilities. Also contains all brochures in PDF format. **678-92**

ARGO Tri-lingual DVD





Experience extreme off-road performance with ARGO. Contains model information in English, French and Spanish. Also contains brochures in PDF format. **680-44-2**

Availability and content subject to change without notice. For more information on all ARGO promotional items ask your local dealer or visit www.ARGOutv.com

ARGO Clothing and Collectibles

Order online at www.argogear.com





	6 X 6 FRONTIER 580	6 X 6 650 HD	8 X 8 FRONTIER 650	8 X 8 750 HD	8 X 8 750 HDi	8 X 8 750 HDi SE
ENGINE	4 cycle OHV V-Twin gasoline engine, electronic ignition, full pressure lubrication and oil filter					
	2 year warranty	2 year warranty	2 year warranty	3 year warranty	3 year warranty	
MODEL	Briggs & Stratton Vanguard	Briggs & Stratton Vanguard	Briggs & Stratton Vanguard	Kohler Aegis LH 690		Kohler Aegis LH 775
HORSEPOWER	18	23	23	26	31	
DISPLACEMENT	570cc	627cc	627cc	674cc	748cc	
COOLING	Air Cooled	Air Cooled	Air Cooled	Liquid Cooled	Liquid Cooled	
STARTING	Electric/Recoil	Electric/Recoil	Electric/Recoil	Electric	Electric	
BRAKES	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	
STEERING	One-piece ergonomic handlebar steering control with hand brake. For safety and ease of handling, the ARGO steering transmission provides continuous torque to all axles.					
CONTROLS	Right-hand twist grip throttle and dash-mounted choke control (Except HDi models). Light switch and ignition switch.					
CLUTCH	Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.					
TRANSMISSION	Planetary differential transmission with High and Low range; Forward, Neutral, Reverse.	ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.	Planetary differential transmission with High and Low range; Forward, Neutral, Reverse.	ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.	ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.	
DRIVE SYSTEM	Roller chains drive machined sprockets that are spline-fit onto 1 1/4" diameter axles and are protected with triple-sealed greaseable bearings.					
FRAME	Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.					
BODY	Vacuum formed High Molecular Weight Polyethylene					
FULL SKID PLATE	Optional	Standard	Optional	Standard	Standard	
LOAD CAPACITY¹	700 lbs / 317 kg total ²		1000 lbs / 454 kg total		1150 lbs / 521 kg total	
ON LAND	140 lbs / 63 kg max.		140 lbs / 63 kg max.		140 lbs / 63 kg max.	
REAR COMPARTMENT	500 lbs / 227 kg total		900 lbs / 408 kg total		1000 lbs / 454 kg total	
ON WATER	500 lbs / 227 kg total		900 lbs / 408 kg total		1000 lbs / 454 kg total	
TOWING CAPACITY³	1200 lbs / 545 kg	1400 lbs / 635 kg	1400 lbs / 635 kg	1800 lbs / 818 kg	1800 lbs / 818 kg	
SEATING CAPACITY⁴	4 persons		6 persons		6 persons	
ON LAND	4 persons		4 persons		4 persons	
ON WATER	2 persons		2 persons		2 persons	
FUEL CAPACITY	7.1 US gallons (27 litres) See-through polyethylene fuel tank. 8 hours of operation ⁵					
SPEED⁶	22 mph / 35 km per hour		19 mph / 30 km per hour		20 mph / 32 km per hour	
ON LAND	3.5 mph / 5 km per hour		3.5 mph / 5 km per hour		2.5 mph / 4 km per hour	
ON WATER⁷	3.5 mph / 5 km per hour		3.5 mph / 5 km per hour		2.5 mph / 4 km per hour	
SHIPPING WEIGHT	850 lbs / 386 kg	900 lbs / 408 kg	1050 lbs / 476 kg	1250 lbs / 570 kg	1260 lbs / 571 kg	1410 lbs / 641 kg
AXLE BEARING EXTENSIONS	Front - Optional Rear - N/A	Front - Standard Rear - Standard	Front - Standard Rear - Optional	Front - Standard Rear - Standard	Front - Standard Rear - Standard	
LCD DIGITAL GAUGE CLUSTER	Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Low Oil Pressure and Parking Brake Reminder Lights			Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Engine Coolant Temperature, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 750 HDi & 750 HDi SE also feature a Check Engine Light)		
TIRES	ARGO AT189 24x10.00-8NHS	ARGO AT189 24x10.00-8NHS	ARGO AT189 24x10.00-8NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS	
GROUND PRESSURE	2.1 psi (14.5 kPa) using tires 0.67 psi (4.6 kPa) using tracks					
GROUND CLEARANCE	9.5" (240 mm)		9" (230 mm)		9.5" (240 mm)	
TIRES	10.5" (265 mm)		10" (255 mm)		10.5" (265 mm)	
TRACKS	10.5" (265 mm)		10.5" (265 mm)		10.5" (265 mm)	
OPERATING CONDITIONS	All weather, all terrain, -40°C to +40°C					

- Capacity includes occupants, cargo, outboard motor and fuel, and installed accessories. Max. outboard motor size 7.4 kW (9.9 hp).
- Total payload is 700lbs with max. 140lbs allocated to rear compartment.
- Towing capacity is approximate and depends on type of surface, load on vehicle as well as incline. Max Hitch Tongue Load (when equipped with hitch) 100 lbs / 45kg for all models
- Subject to rear compartment load capacity limitations.
- Fuel consumption depends on load and operating conditions.
- All speeds are approximate and depend on conditions.
- Always wear approved Personal Floatation Device (PFD) when operating in water or on ice.

Appearance and specifications subject to change without notice.


AVAILABLE ARGO COLORS

*Colors in this brochure are reproduced with great care, but may vary slightly from actual ARGO vehicle colors.



Optional hot-dip galvanizing for metal components for rust prevention.

COLOR OPTIONS FOR ALL STEEL PARTS



A WORLD LEADER IN AMPHIBIOUS VEHICLES

ARGO is the best selling all season, off-road amphibian in the world! No other vehicle satisfies so many needs. Cottagers, outdoor enthusiasts, search & rescue teams, utility companies, surveyors, and farmers all benefit from ARGO's versatile and unique abilities. **ARGO goes where others can't follow!**

Since 1967, ARGO has been manufactured by ODG in New Hamburg, Ontario, Canada at ODG's 121,500 sq. ft. (11,350 m²) facility. Our dedicated team of engineers, production and technical support staff has made ARGO **the most reliable, amphibious, off-road, utility vehicle** you will ever drive.



Development



Precision Manufacturing



Quality Assurance



Technical Support



Amphibious UTV

ODG
220 Bergey Court, New Hamburg,
ON, Canada N3A 2J5
Toll Free: **1-877-274-6288**
Tel: (519) 662-4000 • Fax: (519) 662-2421
www.ARGOutv.com

Proud to be located in
 Canada's
Technology
Triangle

treadlightly! **Safety!**
LEAVING A GOOD IMPRESSION *...always in Season!*

WARNING: All operators appearing in this brochure are highly skilled ARGO drivers. The ARGO is a powerful off-road vehicle and can be dangerous if not properly operated or maintained. Before operating ARGO for the first time, read the ARGO Operator's Manual thoroughly to make certain all details and recommended driving procedures are clearly understood. Do NOT allow any individual to ride in or operate ARGO without first reading and clearly understanding the procedures outlined in the Operator's Manual. Do NOT allow any individual under 16 years of age to operate ARGO. Do NOT attempt maneuvers on terrain beyond your skills or beyond the capabilities of ARGO. Do NOT operate ARGO on highways, or any other road system. For safety, we recommend wearing helmets and eye protection. When operating in water follow standard boating safety procedures, always wear approved Personal Floatation Devices, and do not stand in a floating ARGO. Operating your vehicle on ice-covered bodies of water can be dangerous. Always consult your ARGO Operator's Manual for detailed safety precautions. Follow all instructions that appear on the CAUTION and WARNING plates on ARGO. Do NOT exceed the recommended MAXIMUM load capacity under any circumstances. Do NOT operate ARGO unless all occupants are seated and all cargo is securely fastened down. Drive with CAUTION and good sense at all times.

Authorized Dealer